




Samsung Galaxy J1 Volume Button Replacement

This guide will assist in the replacement of the Samsung Galaxy J1's volume button.

Written By: Sean Kramer



INTRODUCTION

This guide will assist in the replacement of the Samsung Galaxy J1's volume button.

TOOLS:

- [Phillips #00 Screwdriver](#) (1)
 - [iFixit Opening Tools](#) (1)
 - [Spudger](#) (1)
-

Step 1 — Midframe



- Insert a finger nail or plastic opening tool between the back cover and the device.
- Gently pry the rear cover off of the back of the phone.

Step 2



- Using a finger, pull the SIM card down out of its slot.
 - Remove the SIM card.
- i** The pictured device is missing the SIM card and battery.

Step 3



- Using a Phillips #00 screwdriver remove the eleven 3 mm screws.


Step 4



- Insert a plastic opening tool between the screen and the back of the device.
- Starting at the bottom of the device, gently slide the tool along the edges of the screen.
- Gently pry the main assembly from the midframe of the device.

⚠ When removing the main assembly, pry gently so as to not crack the glass screen or break any clips within the device.

Step 5 — Volume Button



- Use the flat edge of a spudger to push the volume button out.
- Remove the volume button.

To reassemble your device, follow these instructions in reverse order.