



HP Pavilion 13-s128nr Battery Replacement

This guide can be used to replace the battery of the HP Pavilion 13-s128nr.

Written By: Sydney Bell



INTRODUCTION


This guide is used for a battery replacement for the HP Pavilion 13-s128nr. The HP Pavilion 13-s128nr is also known as the HP Pavilion x360. A faulty battery will cause the laptop to not work properly. Use this [troubleshooting page](#) to know if the battery needs to be replaced. Before beginning this guide, make sure the laptop is powered off.



TOOLS:


- [iFixit Opening Tools](#) (1)
 - [Phillips #0 Screwdriver](#) (1)
-

Step 1 — Back Panel




- Use the iFixit opening tool to take off the rubber caps.
- Remove the screws using the Phillips #0 screwdriver.

Step 2




- Use the Jimmy to pry around the seam of the laptop.
 - Remove the back panel of the laptop.
- ⚠ Don't completely remove the back panel as there are ribbon cables that can be easily damaged if removed quickly.

Step 3




- Using the iFixit opening tool to lift the tabs holding in the cables connecting the keyboard to the motherboard.
- Pull the cable from the motherboard.

Step 4 — Battery



- Lift upwards on the black tabs the purple strip is connected to.
- Gently pull the purple strip out of its place.

Step 5




- Using the Phillips #0 screwdriver, remove the five screws holding the battery in place.

Step 6



- Pull the white cable connected to the motherboard out using the iFixit opening tool.

Step 7



- Remove the battery.
- ⚠ There are little snap tabs on the right side of the battery. Be sure not to break them by pulling the battery out towards the left side.

To reassemble your device, follow these instructions in reverse order.