

How to Repair A Garden Walkway With Concrete Slabs

This guide will help us accomplish how to repair the portion of the walkway in an easy 7-8 steps in about 1.5-2 hours of time.

Written By: Adnan Hasan



This document was generated on 2020-11-28 08:10:07 AM (MST).

INTRODUCTION

Want a beautiful looking garden walkway? Or have broken areas surrounding it? Well you have come to the right place! This easy 7-step repair process will make your garden walkway look beautiful again! This repair is fairly safe but one hazard is making sure to lift the heavy slab tiles with another person. Never try to lift on your own! This repair is needed for anybody who wants to make minor improvements in their garden. The walkway is the first thing people see when they enter a garden. An appealing walkway further makes the garden stand out even more! Happy Fixing!



TOOLS:

- Honda Cultivator (1)
- rake (1)
- cedar wood edge (1)
- Shovel (1)




PARTS:

- 24X24 Slab (3)
- Limestone screening sand mixture (1)

Step 1 — How to Repair A Garden Walkway With Concrete Slabs





 Use a cultivator machine to dig the soil which will make it smoother to the surface and level everything out.

Step 2





- Use a rake to make the soil more leveled out to the surface.
- Remove any extra soil with a shovel if needed.

Step 3







- Apply the first layer of limestone screening mixture, making sure it is even around the area.
- Insert the first slab tile.

Step 4





Apply some more of the mixture and then insert the second slab tile.


Step 5





- Apply third and final slab.
- If needed, add some extra soil or the limestone screening mixture to make it even with the other two slab tiles.

Step 6



- Insert a 65-inch cedar wood border to align with the rest of the walkway.
- Measure the area beforehand to know exactly how much cedar wood border you need.

Step 7







 Clean off the excess debris with your good ol' broom and wash it off with the garden hose to make it nice and shiny.

This guide will help you do this project in a safe and efficient manner. It will also give your garden walkway a more appealing look!