




Datawind Ubislate 7ci Rear Facing Camera Replacement

This replacement guide will assist anyone who is interested in replacing their Ubislate 7Ci tablet camera.

Written By: Mekides



INTRODUCTION

Designed as a low cost tablet for students in India, Datawind's Ubislate 7CI sells for about \$35, to students in India, with the price subsidized by the government. The device is 7.2 by 4.8 by .4 inches (HWD) and weighs 11.2 ounces.



TOOLS:

- [iFixit Opening Tools](#) (1)
 - [Soldering Iron](#) (1)
-

Step 1 — Finding a work space





- Be sure to repair your device on a clean surface so you are less likely to lose small parts.

Step 2 — Pry open your tablet





- Run your prying tool along the front edge of the device to pop off the front cover.
- Once the halves are separated your device should look like this.
- (HINT: be careful of the device's small wiring when separating the two halves.)

Step 3 — Removing the tape around the camera





- Remove the black tape that is circled.
- The camera is circled in this picture.

Step 4 — Removing the camera



- Carefully remove the camera from its housing.

Step 5 — Inserting the Replacement Camera



- Slide the new camera into its housing carefully.
- it should look like the second picture when you are finished

Step 6 — Closing the Tablet



- Press the back cover of the tablet on firmly until it clicks

To reassemble your device, follow these instructions in reverse order.